

**APPLICATION FOR PERMIT
TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA**
JAN 8 1969

Date of filing in State Engineer's Office.....

Returned to applicant for correction.....

Corrected application filed.....

Map filed..... **JAN 8 1969**

The applicant Wayne Edelman
240 E. Ali Baba Lane
 of Las Vegas, Nev., 89109, County of Clark,

State of Nevada, hereby make S application for permission to appropriate the public waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a copartnership or association, give names of members.)

1. The source of the proposed appropriation is Underground (Las Vegas Artesian Basin)
Name of stream, lake or other source.
2. The amount of water applied for is 0.10 c.f.s. (45 g.p.m.) second-feet
One second-foot equals 448.83 gals. per min.
 (a) If stored in reservoir give number of acre-feet..... acre-feet
3. The water to be used for Quasi-Municipal (Apartments), and Domestic
Irrigation, power, mining, manufacturing, domestic, or other use.
4. If use is for:
 - (a) Irrigation (state number of acres to be irrigated).....
 - (b) Stockwater (state number and kinds of animals to be watered).....
 - (c) Other use (describe fully under "No. 11. Remarks") See Remarks
 - (d) Power:
 - (1) Horsepower developed.....
 - (2) Point of return of water to stream.....
5. The water is to be diverted from its source at the following point: Southwest Quarter (SW $\frac{1}{4}$),
Northeast Quarter (NE $\frac{1}{4}$) of Section 28, T.21S., R.61E., M.D.B.&M., or
Describe as being within a 40-acre subdivision of public survey, and by course and distance to a section corner. If on unsurveyed land, it should be stated.
at a point that bears North 56° 07' 27" East, of the center quarter corner of said Section 28, 728.47 feet.
6. Place of use NE $\frac{1}{4}$; SW $\frac{1}{4}$; SW $\frac{1}{4}$; NE $\frac{1}{4}$ of Section 28, T.21S., R.61E., M.D.B.&M.
Describe by legal subdivision, if on unsurveyed land it should be so stated.

7. Use will begin about January 1st and end about December 31st, of each year.
Month Month

8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) 180' well with 10" casing
submersible pump and 250 gallon pressure tank.
State manner in which water is to be diverted, whether by dam or other works, whether through pipes, ditches, flumes, or other conduits.

9. Estimated cost of works \$4,000
10. Estimated time required to construct works Works are presently complete.
11. Remarks Water has been used for the above purpose for approximately 10 years. This application is in compliance with Order No. 348 of the State Engineer's Office to seek a water right for this well. Water is used for 17 apartments, one swimming pool and domestic.

Applicant Wayne Edelman

By s/ Sterling C. Ditsworth
Sterling C. Ditsworth, State Water
Compared jw/jls jls/jw Rights Surveyor, Tyson Engineering Co.,
Inc., 1209 South Commerce Street,
Las Vegas, Nevada, 89102

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions: This permit is issued subject to existing rights and is further subject to revocation if and when water can be furnished by an entity such as a water district or a municipality engaged in furnishing water. A meter must be installed in the discharge pipe line, near the point of diversion, and accurate measurements must be kept of water placed to beneficial use. It is understood that this right must allow for a reasonable lowering of the static water level. The well shall be equipped with a 2-inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030; therefore, the State retains the right to regulate the use of the water herein granted at any and all times.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.10 cubic feet per second, but not to exceed 1.6 m.g. annually.

Actual construction work shall begin on or before October 16, 1969

Proof of commencement of work shall be filed before November 16, 1969

Work must be prosecuted with reasonable diligence and be completed on or before October 16, 1969

Proof of completion of work shall be filed before November 16, 1969

Application of water to beneficial use shall be made on or before October 16, 1970

Proof of the application of water to beneficial use shall be filed on or before November 16, 1970

Map in support of proof of beneficial use shall be filed on or before _____

Commencement of work filed DEC 3, 1969 IN TESTIMONY WHEREOF, I Roland D. Westergard
Completion of work filed DEC 3, 1969 State Engineer of Nevada, have hereunto set my hand and the seal of
Proof of beneficial use filed Dec. 17, 1970 my office, this 16th day of July

Cultural map filed _____
Certificate No. _____ Issued _____
Recorded _____ Bk _____ Page _____
County Recorder

REVOKED

Roland D. Westergard
State Engineer